

Flywheel/Flexplate Bolts

Flywheel Bolts and Shims
Applications, pages 397-403



- Flywheel and flexplate bolts should be replaced whenever they are removed
- Bolts feature a specially designed head that is lower in height to prevent damage to the clutch of torque converter

HELP! Part # (Qty.)	CLUTCH-IN! Part # (Qty.)	Thread Size	Thread Length	Head Thickness
	74069 (6)	7/16-20	.500" (12.70mm)	.190" (4.83mm)
	74068 (6)	7/16-20	.675" (17.15mm)	.190" (4.83mm)
14052 (6)	74070 (6)	7/16-20	.900" (22.86mm)	.190" (4.83mm)



Fuel Door Components



47201 (1)



Fuel Door Retaining Clip

Ford Taurus, Mercury Sable with remote fuel door access 2001-93. Clip holds fuel filler door shut. Door will remain open if clip is broken.

F

Fuel Filter Caps

Fuel Filter Cap
Applications, page 404



- OE replacements
- Guarantees correct fit when servicing fuel filter
- Redesigned with hex for easier removal & installation



55850 (1)



2004-98 E, F-Series, Excursion w/7.3L Diesel Engine. Includes O-ring.

55851 (1)



2004-02 Ram 2500-3500 w/5.9L Diesel Engine. Includes O-ring.

Fuel Injection



- Carded Assortment of the most commonly used O-rings
- Assortment includes 4 different O-ring kits
- Priced the same as one different kit

90100 (30)



O-Rings

For Chrysler, Ford, GM, Nissan and Toyota cars and trucks. Kit includes the following O-rings: 6 - 53/64" x 1-5/64", 6 - 11/32" x 17/32", 8 - 19/64" x 37/64", 10 - 19/64" x 28/64".


Diesel Fuel Injection Return Hoses and Clamps

55193 (8)



• Convenient 8 pack. Fits GM 6.2L, 6.5L.

- Bleeds excess fuel back to the system.
- Hoses become brittle causing leaks. Replace at tune-up time.
- Recommend replacement during any fuel injector replacement.



Visit us at www.motormite.com

Fuel Hose Fittings

HELP!
Underhood

- Applications: fuel and oil lines for small engines, vacuum advance and evaporative emissions control
- Pressure: 60 PSI
- Working temperature: -40° F to 250°F
- Can be used on EFI systems

Three-Way Brass Tee Connectors	
Hose Size (ID)	HELP! Part # (Qty.)
1/4"	55106 (1)
3/8"	55108 (1)
5/16"	55107 (1)



55109 (3)



Three-Way Brass Tee Connectors

BETTER VALUE

Assortment: 1/4", 3/8", 5/16". Kit contains 55106, 55108 and 55107.

Fuel Line Filters and Elements

HELP!
Underhood

- In-line filters with clear glass bodies and chrome plated die-cast ends
- Replaceable white nylon mesh filter element shows dirt and contamination build-up to indicate effectiveness of filter and when replacement is needed
- Three numbers fit most fuel lines
- Each includes connector hoses, screw clamps and instructions
- For use on carbureted engines only. Do not use on fuel injected engines.
- Automotive, industrial, commercial and agricultural usages

55243 (2)



Replacement Fuel Line Filter Elements

Two ultra-fine white nylon mesh filter elements and four O-ring seals. Use with all three glass fuel line filters, 55240-55242.

55240 (1)



Fits 1/4" I.D. fuel lines.

55241 (1)



Fits 5/16" I.D. fuel lines.

55242 (1)



Fits 3/8" I.D. fuel lines.

Fuel Line Retainer & Repair Kits

HELP!
Underhood

- Replace retainers which are broken or lost when connections are disassembled
- Full Line of Fuel Line Products in Quick Disconnect Section of Dorman Hard Parts Catalog **DHP24011**.

55139 (1)



Fuel Line Retaining Clip

Fits Ford 1/4" lines.
Quick Disconnect # 800-014 (6)

55142 (1)



Fuel Line Retaining Clip

Fits Ford 1/2" lines. Ford duckbill type retainer.
Quick Disconnect # 800-014 (6)

55147 (2)



Fuel Line Retaining Clip

Fits Ford 5/16" lines.
Quick Disconnect # 800-015 (6)

55148 (2)



Fuel Line Retaining Clip

Fits Ford 3/8" lines.
Quick Disconnect # 800-015 (6)

90098 (2)



Fuel Rail Clips

Retainer clips to secure injectors to fuel rail.
GM MPFI.

55180 (1)



Steel Fuel Line Repair

3/8" x 18" with compression fitting.
Quick Disconnect # 800-153 (6)

NEW PRODUCT HOTLINE - 1-800-336-3575

*Combined for

BETTER VALUE

Fuel Pressure Regulator

HELP!
Underhood

Fuel Pressure Regulator

55162 (1)

- GM 4.3L Vortec® engines (VIN W) 1995-93
- Replace just the faulty pressure regulator—no need to buy entire spider unit
- Includes security star-bit tool



55163 (1)



CMFI Fuel Return Lines

Astro, Safari, S-Series Pickup, Blazer, Jimmy, Sonoma, Typhoon, Bravada w/4.3L 1995-92. Includes inlet and fuel return lines.



See

DORMAN QUICK DISCONNECT

in DHP24011 for a full line of fuel line repair parts.

Fuel Pump Parts

HELP!
Underhood

55165 (1)



Bowl

Replace old rusted or damaged fuel sediment bowl. Fits Ford/Lincoln/Mercury 1977-64. Also can be used on farm tractors. Not available at OE dealers.

GM Fuel Pump Pulsator

55160 (1)



Prevent comebacks. Replace with every GM in-tank fuel pump.



03875 (1)



Push Rod

1/2" diameter x 5-3/4" long. GM V8.

Eliminates fuel pump vibration and noise. Mounts directly on fuel pump. Fits various GM vehicles with in-tank mounted fuel pumps, 1999-84. Great add-on sale for pump or sender sales. Always replace the pulsator to eliminate potential comebacks.

Fuel Sending Unit Retainer

Fuel Sending Unit Retainer Applications, page 405

HELP!
Underhood

- Should be replaced whenever sending unit is serviced

55810 (1)



O.D. 3-7/8". I.D. 3-1/8". GM 2000-82 cars and trucks. Includes O-ring.

55811 (1) For Better Value, Order 55812



O.D. 4-11/16" (outside locking tabs). I.D. 3-7/8". Ford 2002-80 cars and trucks. Includes O-ring.

55812 (2)*




Driving TOGETHER

BETTER VALUE

O.D. 4-11/16", 5-3/4" (outside locking tabs). I.D. 3-7/8", 4-29/32". Fits Ford cars and trucks 2002-80. Includes two retainers and O-rings (**55810 and 55811**) to cover several applications.

Recommend new sending unit retainer with every fuel pump or sending unit. Retainers are often damaged during removal.



Visit us at www.motormite.com

*Combined for

BETTER VALUE

Fuel Tank Selector Switch & Gauge Repair

HELP!
Interior


49205 (1)



Fuel Tank Selector Switch

1997-92 Ford F-Series Pickup.

49201 (2)



Instrument Panel Gauge Repair Kit

Enables you to repair inoperative gauges. Replacement resistor mounts to back of gauge. Up to 90% less expensive than replacing gauge. Not available separately at dealer.

Gear Shift Knobs and Bushings

HELP!
Interior

02373 (1)



Shifter Link Bushing. Absorbs vibration while holding control rod in position. GM Trucks 1960 & up.

76888 (1)



Manual transmission. Fits Ford Trucks and Vans 1987-82.

76933 (1)



Universal. Black without pattern. For floor mounted shifter. Includes threaded inserts to fit 5/16", 3/8", 1/2" & 7mm diameter shafts.

76935 (1)



Automatic transmission. Fits most GM models with steering column shifter.

76937 (1)



Automatic transmission. Chrome finish. Fits various GM models 1994-81.

Glove Box

HELP!
Interior

74302 (1)



Glove Box Latch

Fits various Ford Cars and Trucks 1974 & up and GM Astro Van. Can also be used in universal applications.

74330 (2)



Glove Box Strap

Fits Chrysler Minivans 2000-96.

NEW PRODUCT HOTLINE - 1-800-336-3575

F
G