

# Flywheel/Flexplate Bolts

Flywheel Bolts and Shims  
Applications, pages 397-403



- Flywheel and flexplate bolts should be replaced whenever they are removed
- Bolts feature a specially designed head that is lower in height to prevent damage to the clutch of torque converter

HELP! Part # (Qty.)	CLUTCH-IN! Part # (Qty.)	Thread Size	Thread Length	Head Thickness
	74069 (6)	7/16-20	.500" (12.70mm)	.190" (4.83mm)
	74068 (6)	7/16-20	.675" (17.15mm)	.190" (4.83mm)
14052 (6)	74070 (6)	7/16-20	.900" (22.86mm)	.190" (4.83mm)



# Fuel Door Components



47201 (1)



Fuel Door Retaining Clip

Ford Taurus, Mercury Sable with remote fuel door access 2001-93. Clip holds fuel filler door shut. Door will remain open if clip is broken.

F

# Fuel Filter Caps

Fuel Filter Cap  
Applications, page 404



- OE replacements
- Guarantees correct fit when servicing fuel filter
- Redesigned with hex for easier removal & installation



55850 (1)



2004-98 E, F-Series, Excursion w/7.3L Diesel Engine. Includes O-ring.

55851 (1)



2004-02 Ram 2500-3500 w/5.9L Diesel Engine. Includes O-ring.

# Fuel Injection



- Carded Assortment of the most commonly used O-rings
- Assortment includes 4 different O-ring kits
- Priced the same as one different kit

90100 (30)



O-Rings

For Chrysler, Ford, GM, Nissan and Toyota cars and trucks. Kit includes the following O-rings: 6 - 53/64" x 1-5/64", 6 - 11/32" x 17/32", 8 - 19/64" x 37/64", 10 - 19/64" x 28/64".


## Diesel Fuel Injection Return Hoses and Clamps

55193 (8)



• Convenient 8 pack. Fits GM 6.2L, 6.5L.

- Bleeds excess fuel back to the system.
- Hoses become brittle causing leaks. Replace at tune-up time.
- Recommend replacement during any fuel injector replacement.



Visit us at [www.motormite.com](http://www.motormite.com)

# Fuel Hose Fittings


**HELP!**  
Underhood

- Applications: fuel and oil lines for small engines, vacuum advance and evaporative emissions control
- Pressure: 60 PSI
- Working temperature: -40° F to 250°F
- Can be used on EFI systems

Three-Way Brass Tee Connectors	
Hose Size (ID)	HELP! Part # (Qty.)
1/4"	55106 (1)
3/8"	55108 (1)
5/16"	55107 (1)



55109 (3)



Three-Way Brass Tee Connectors

**BETTER  
VALUE**

Assortment: 1/4", 3/8", 5/16". Kit contains 55106, 55108 and 55107.

# Fuel Line Filters and Elements

**HELP!**  
Underhood

- In-line filters with clear glass bodies and chrome plated die-cast ends
- Replaceable white nylon mesh filter element shows dirt and contamination build-up to indicate effectiveness of filter and when replacement is needed
- Three numbers fit most fuel lines
- Each includes connector hoses, screw clamps and instructions
- For use on carbureted engines only. Do not use on fuel injected engines.
- Automotive, industrial, commercial and agricultural usages

55243 (2)



Replacement Fuel Line Filter Elements

Two ultra-fine white nylon mesh filter elements and four O-ring seals. Use with all three glass fuel line filters, 55240-55242.

55240 (1)



Fits 1/4" I.D. fuel lines.

55241 (1)



Fits 5/16" I.D. fuel lines.

55242 (1)



Fits 3/8" I.D. fuel lines.

# Fuel Line Retainer & Repair Kits

**HELP!**  
Underhood

- Replace retainers which are broken or lost when connections are disassembled
- Full Line of Fuel Line Products in Quick Disconnect Section of Dorman Hard Parts Catalog **DHP24011**.

55139 (1)



Fuel Line Retaining Clip

Fits Ford 1/4" lines.  
Quick Disconnect # 800-014 (6)

55142 (1)



Fuel Line Retaining Clip

Fits Ford 1/2" lines. Ford duckbill type retainer.  
Quick Disconnect # 800-014 (6)

55147 (2)



Fuel Line Retaining Clip

Fits Ford 5/16" lines.  
Quick Disconnect # 800-015 (6)

55148 (2)



Fuel Line Retaining Clip

Fits Ford 3/8" lines.  
Quick Disconnect # 800-015 (6)

90098 (2)



Fuel Rail Clips

Retainer clips to secure injectors to fuel rail.  
GM MPFI.

55180 (1)



Steel Fuel Line Repair

3/8" x 18" with compression fitting.  
Quick Disconnect # 800-153 (6)

**NEW PRODUCT HOTLINE - 1-800-336-3575**

\*Combined for

**BETTER  
VALUE**

# Fuel Pressure Regulator

**HELP!**  
Underhood

## Fuel Pressure Regulator

**55162 (1)**

- GM 4.3L Vortec® engines (VIN W) 1995-93
- Replace just the faulty pressure regulator—no need to buy entire spider unit
- Includes security star-bit tool



**55163 (1)**

## CMFI Fuel Return Lines

Astro, Safari, S-Series Pickup, Blazer, Jimmy, Sonoma, Typhoon, Bravada w/4.3L 1995-92. Includes inlet and fuel return lines.



See

**DORMAN QUICK DISCONNECT**

in DHP24011 for a full line of fuel line repair parts.

# Fuel Pump Parts

**HELP!**  
Underhood

**55165 (1)**

## Bowl

Replace old rusted or damaged fuel sediment bowl. Fits Ford/Lincoln/Mercury 1977-64. Also can be used on farm tractors. Not available at OE dealers.



## GM Fuel Pump Pulsator

**55160 (1)**

Prevent comebacks. Replace with every GM in-tank fuel pump.



Eliminates fuel pump vibration and noise. Mounts directly on fuel pump. Fits various GM vehicles with in-tank mounted fuel pumps, 1999-84. Great add-on sale for pump or sender sales. Always replace the pulsator to eliminate potential comebacks.



**03875 (1)**

## Push Rod

1/2" diameter x 5-3/4" long. GM V8.



# Fuel Sending Unit Retainer

Fuel Sending Unit Retainer Applications, page 405

**HELP!**  
Underhood

- Should be replaced whenever sending unit is serviced

**55810 (1)**

O.D. 3-7/8". I.D. 3-1/8". GM 2000-82 cars and trucks. Includes O-ring.



**55811 (1)** For Better Value, Order 55812

O.D. 4-11/16" (outside locking tabs). I.D. 3-7/8". Ford 2002-80 cars and trucks. Includes O-ring.




**55812 (2)\***

O.D. 4-11/16", 5-3/4" (outside locking tabs). I.D. 3-7/8", 4-29/32". Fits Ford cars and trucks 2002-80. Includes two retainers and O-rings (55810 and 55811) to cover several applications.



**BETTER VALUE**

Recommend new sending unit retainer with every fuel pump or sending unit. Retainers are often damaged during removal.



Visit us at [www.motormite.com](http://www.motormite.com)

\*Combined for

**BETTER VALUE**

## Fuel Tank Selector Switch & Gauge Repair

**HELP!**  
Interior


49205 (1)



**Fuel Tank Selector Switch**

1997-92 Ford F-Series Pickup.

49201 (2)



**Instrument Panel Gauge Repair Kit**

Enables you to repair inoperative gauges. Replacement resistor mounts to back of gauge. Up to 90% less expensive than replacing gauge. Not available separately at dealer.

## Gear Shift Knobs and Bushings

**HELP!**  
Interior

02373 (1)



Shifter Link Bushing. Absorbs vibration while holding control rod in position. GM Trucks 1960 & up.

76888 (1)



Manual transmission. Fits Ford Trucks and Vans 1987-82.

76933 (1)



Universal. Black without pattern. For floor mounted shifter. Includes threaded inserts to fit 5/16", 3/8", 1/2" & 7mm diameter shafts.

76935 (1)



Automatic transmission. Fits most GM models with steering column shifter.

76937 (1)



Automatic transmission. Chrome finish. Fits various GM models 1994-81.

## Glove Box

**HELP!**  
Interior

74302 (1)



**Glove Box Latch**

Fits various Ford Cars and Trucks 1974 & up and GM Astro Van. Can also be used in universal applications.

74330 (2)



**Glove Box Strap**

Fits Chrysler Minivans 2000-96.