

Knobs - Specialty

HELP!
Interior

49299 (1)

Driving
TOYOTA NEW



OD Shift Button and Cap

Fits Ford Vans and Trucks 2002-92.

76894 (2)



Heater Control Knobs

Honda Accord 1993-90.

76897 (1)

Driving
TOYOTA NEW




Headlamp Knob

Will replace most pull-out type headlamp knobs. Fits GM, Ford and Chrysler. Cut length to fit. Ford Trucks 1997-95.

76899 (3)

Driving
TOYOTA NEW



Temperature Control Knobs

GM C & K-Series Trucks, G-Series Vans, Astro and Safari 2000-95; Corsica, Beretta 1996-91, Grand Prix 1996-94.

76900 (1)

For Better Value, Order 76904



Control Knob

Replaces headlight, fan, select and temperature knob on Ford Taurus & Sable 1989-86.

76901 (3)

For Better Value, Order 76904



Control Knob Assortment

Includes headlight adjusting knob for Ford Trucks 2001-85 and temperature control knob for Ford Mustang 2001-94, Taurus/Sable 1999-92, Windstar 1998-95, Mercury Mountaineer 2001-97.

76904 (4)*



Control Knob Assortment

BETTER VALUE

Includes 2 temperature fan select knobs for Taurus/Sable 99-92, Mustang 03-94, Explorer/Mountaineer 03-97, Windstar 98-95, 1 headlamp switch knob for F-Series Pickup, Bronco 03-85, and 1 headlight, fan, select and temperature knob for Taurus/Sable 1989-86. **Kit contains 76900 and 76901.**

76949 (1)



Universal Utility Knob

Bright chrome plastic replaces various interior knobs. Fits shafts 3/16" diameter or smaller. Secures with set screw (included).

76950 (1)



Wiper Control Knob

Jeep CJ 1986-81.

Leaf Spring Insulator

HELP!
Undercar

31066 (2)



Leaf Spring Insulator

Buick Regal 1996-88, Chevrolet Lumina 1994-90, Oldsmobile Cutlass Supreme 1997-88, Pontiac Grand Prix 1996-88.

- Vehicles with composite rear leaf springs may make a grinding, scraping or groaning noise from the rear suspension
- This is caused by the wearing away of the rubber tip pads allowing the spring to rub on the knuckle
- If left unrepaired the spring could wear and possibly fail at the mounting ends
- Leaf spring insulator kits are now available to replace worn rubber pads
- Kit is complete with 2 rubber pads and epoxy



K

L

NEW PRODUCT HOTLINE - 1-800-336-3575

*Combined for


BETTER VALUE

License Plate Brackets & Covers



- Use to replace broken OE plate brackets and frames as a retro fit for vehicles that didn't originally have front plates.


68146 (1)



Universal Cover

Fits over any standard license plate. Use to protect and keep your license plate clean. Also deters theft of the registration sticker.


68148 (1)



Universal

For mounting front license plates. 16-gauge construction.


68149 (1)



Universal

Use to mount front plates on plastic bumpers. Use with HELP! (68148) front license plate bracket. Fits newer cars with custom bumpers.


68184 (1)



OE Style

GM C&K 1,2,3 Pickups 2000-88.


See **Dorman Hardware Catalog, DOR2031, page 714**
LICENSE-TITE!
 for a full line of OE Style license plate fasteners.



License Plate Lenses & Lamps




68151 (1)




Universal. Includes 12-volt bulb. Shield style. 1-1/4".
Conduct-Tite!® 85808 (1) Carded

68152 (1)




Step bumper style GM Pickups, Vans and Suburbans 1991-70.

68153 (1)




Cover only. Fits chrome bumpers on Ford F150/350 Pickups, Bronco and Bronco II 1996-80.

68155 (1)



Fits rear bumper on GM S10 Pickups 1993-85 & GM C&K Pickups 2000-88.


68158 (1) **HELP!®**



Universal. Includes 12 volt bulb, mounting bracket with 2" bolt centers and 8" wire lead.

Tail Lamp Circuit Board

70001 (2) *Driving REVENUE*



Fits 2000-88 GM C/K Series Pickup, Blazer, Tahoe, Yukon, Suburban.
Includes left and right hand boards.
 See page 14 for 5 additional SKUs.

HELP!®
 Makes Customers for **Life**



License Plate Accessories

HELP!
Exterior

• Full Line of **LICENSE-TITE!**™ Products in the Dorman Hardware Catalog.

02405 (4)



License Plate Fasteners

Slotted round washer head. Self-Tapping Screws - Bright Zinc. 1/4" (#14) x 3/4".

49258 (4)



Security Screw Kit

Includes 1/4" x 5/8" screws and nylon insert nuts. Installed with standard flat blade screwdriver, but requires HELP! 49259 Security Screw Removal Tool to remove.

49259 (1)



Security Screw Removal Tool

Removal tool sold separately. Specially designed to remove HELP! 49258 Security Screws. Made from case-hardened carbon steel.

Lighters & Accessories

Cigarette Lighter Applications, pages 234-235

HELP!
Interior

56479 (1)



Accessory Extension - Outlet Cord

Receptacle to lighter adapter extension. 10 ft. long.

56487 (1)



Accessory Power Outlet - Exterior

12 volt power outlet. Weatherproof. Exterior auxiliary source for automotive or marine uses.

56480 (1)



Accessory Power Plug

Fits standard length cigarette lighter receptacle. Pre-wired with leads to connect to CBs, CD players or other 6- or 12-volt equipment.

56485 (1)



Accessory Power Plug

Universal male plug power outlet with 8 ft. cord.

56483 (1)



Accessory Receptable Outlet - Double

Provides two power supplies. Use when more than one power supply is needed.

56484 (1)



Accessory Receptable Outlet - Triple

Use when multiple power supplies are needed. 35" Cord. Converts any single plug outlet into 3 accessory outlets.

56481 (1)



Battery Clip Lighter Receptacle

Receptacle can be hooked directly to the battery. Cord length is 10" with an overall length of 15-3/4".

56482 (1)



Dash Mount Lighter Receptacle

Universal mounting receptacle. Mounts easily on or under dash. Mounting hardware included.

56490 (1)



Fused Accessory Adapter

Male adapter with fuse fits all SAE approved lighter sockets.

56456 (1)



Lighter Assembly - Chrome Short Knob

Universal with short pop-out knob and well for most ashtray and console applications. Fits 7/8" hole.

56417 (1)



Lighter Assembly - Illuminated

Illuminated assembly with pop-out element and knob. Fits 7/8" hole.

56441 (1)



Lighter Assembly - Long Knob

Universal with extended black pop-out knob for dashboard applications. Fits 7/8" hole.

NEW PRODUCT HOTLINE - 1-800-336-3575

L

Lighters & Accessories (continued)

56411 (1)



Lighter Assembly - Universal

Universal with short black pop-out knob for dashboard applications. Fits 7/8" hole.

56442 (1)



Lighter Element - Pop-Out

Universal standard replacement pop-out type with long knob for dashboard and panel applications.

56452 (1)



Lighter Element - Pop-Out

Universal with pop-out short chrome knob for most consoles, armrests and ashtrays.

56462 (1)



Lighter Element - Pop-Out

Universal with pop-out short chrome knob for most ashtray, armrest and console applications. Fits Jetta & Golf with standard interior.

56464 (1)



Lighter Element - Pop-Out

For short lighter elements with long pop-out knob. Chevrolet 1963 & up - all models.

56470 (1)



Lighter Element - Pop-Out

OE style with black pop-out knob. Fits Nissan & Datsun.

56472 (1)



Lighter Element - Pop-Out

OE style with black pop-out knob. Fits Subaru, Honda, Chrysler Imports, Mitsubishi, GTI or Jetta with upgrade, Mazda and Toyota.

56460 (1)



Lighter Element - Rochester Type

For GM dashboard applications with chrome pop-out knob.

56466 (1)



Lighter Element - Short

GM Chevrolet 1963 & up - all models.

56444 (1)



Lighter Element - Standard

Universal standard element type.

56418 (1)



Lighter Safety Plug

Discourage smoking. Prevents accidental shock. Tight, secure fit deters removal by children. Bright red design alerts passengers of a smoke-free environment.
Dorman® 705-511 (1) Carded

56458 (1)



Lighter Socket

Universal replacement for all types, except Rochester elements. Fits 7/8" hole.

56415 (1)



Lighter Wiring Kit

Auxiliary assembly for lighter and accessories. Includes wire, mounting bracket and cap.

L

Visit us at www.motormite.com

Maintenance Hardware

HELP!
Maintenance

93037 (102)



Auto Hardware Assortment

**VALUE
PACK**

Value Pack contains push nuts, cotter pins, roll pins, speed nuts, internal and external retaining rings and hair pins.

13422 (15)



Cotter Pin Assortment

15 pcs. assortment with 3 each of the following sizes: 1/16" x 1/2", 1/16" x 1", 3/32" x 1", 1/8" x 1-1/2", 1/8" x 2".

13325 (12)



E-Clips

1/8" through 5/16" I.D. sizes.

13574 (16)*



Grease Fitting Assortment

**BETTER
VALUE**

Kit contains 13575 and 13576.

13575 (8)

For Better Value, Order 13574



Grease Fittings

1/4"-28 straight, 1/4"-28 45°, 1/8" NPT straight.

13576 (8)

For Better Value, Order 13574



Grease Fittings

M6-1.0 straight, M6-1.0 45°, M6-1.0 90°.

93036 (18)



Hair Pin Assortment

Groove Dia. 1/8" - 1/4", Wire Dia. Assorted-.031" - .093", Inside Eye Dia. 1/8" - 1/4".

22013 (100)



**Hand Tools -
Blades, Razor Service Pack**

Contains 100 single edge safety blades.

22016 (1)



Hand Tools - General Purpose Scraper

For removing stickers from windows and bumpers. Includes razor blades.

22018 (5)



Hand Tools - Razor Blades, Plastic

Use to remove decals and stickers. Remove tape stripe without marring paint. Single edge style fits most razor blade scrapers. Package of five.

22019 (1)



Hand Tools - Razor Knife Kit

Contains razor knife and razor blades.

10160 (1)



Mechanics Wire

50 Foot Coil.


10161(1)



Mechanics Wire - Stainless

50 Foot Coil.

03120 (1)



Metal Strapping Kit

Universal, all-purpose. Five feet of plated steel strap with 1/4" holes. Includes mounting hardware.

55100 (1)



Metal Strapping Kit - Universal

48" length. Use for miscellaneous repair.

NEW PRODUCT HOTLINE - 1-800-336-3575

**Combined for* **BETTER
VALUE**

M

Maintenance Hardware (continued)

55102 (1)



Metal Strapping Kit - Universal

96" length. Use for miscellaneous repair.

80000 (18)



O-Ring Assortment

Buna-N. I.D. 1/8" - 3/4", O.D. 1/4" - 15/16", Thickness 1/16" - 1/8".

80020 (18)



O-Ring Assortment

Viton - suitable for use with oxygenated fuels. I.D. 1/8" - 3/4", O.D. 1/4" - 15/16", Thickness 1/16" - 1/8".

49899 (15)



Retaining Rings Assortment

Assorted Internal & External Rings Sizes 1/4" - 1". Size (Metric) 6.3mm - 25.4mm.

13850 (16)



Roll Pin Assortment

Diameter 3/32" - 7/32", Length 1/2" - 1".


25325 (1)



Teflon® Tape

1/2" x 275". More than double the length of traditional rolls. Use for pipe threaded connections. Resists heat, cold, chemicals & moisture. Wrap tape over male threaded part in opposite direction of threads. Two or more layers may be required depending on fit.

49340 (1)



Thread Checker

UNF & UNC #6-1/2" (Silver); Metric M4-M12 (Black). Checks male & female threads. Mounted on a long durable chain.


25326 (4)



Thread Sealant Paste

Four individual 4ML tubes keep product fresh.

41070 (2)



Threaded Rod Kit - 1/4-20

Air cleaner hold-down kit. 1/4-20 x 8", bright zinc plated.

13425 (2)



Well Nuts

Thread size, 1/4"-20.

13550 (5)



Wing Nut Assortment

Thread Size, Asst: #8-32 through 5/16-18, Grade 2.

13551 (10)



Wing Nut Assortment

Assortment includes the following sizes: 1 each of #8-32, #10-24, #10-32, 1/4-20, 5/16-18, 2 - M6-1.0 and 3 - M8-1.25. Plated to resist rust and corrosion. For automotive air cleaner housings and universal applications.

13125 (5)



Woodruff Key Assortment

Assortment includes 3/32" x 1/2", 1/8" x 1/2", 5/32" x 5/8", 1/8" x 3/4" and 3/16" x 3/4" Woodruff Keys.

Visit us at www.motormite.com

Teflon® is a registered trademark of E.I. du Pont de Nemours and Company.

Master Cylinder Caps

Master Cylinder Caps and Gaskets
Applications, pages 432-439

HELP!
Undercar


- Replace lost or broken master cylinder caps to prevent brake fluid contamination
- Master cylinder gaskets sold separately



GM 1998-91.




GM 1990-87; Use with 42104 gasket.




GM G, P-Series, Astro, Safari 1996-85; Use with 42103 gasket.




Mazda 1991-81.




GM 2000-78; Use with 42106 or 42078 gasket.




GM 1999-81; Use with 42079 gasket.



GM 2004-87; Use with 42072 gasket.




GM G & P-Series, Astro, Safari 1996-85; Use with 42073 gasket.



Chrysler/Dodge/Plymouth 1998-78; Use with 42081 gasket.



Ford/Lincoln/Mercury 1994-83; Use with 42098 gasket.



Ford/Lincoln/Mercury 2004-86; Use with 42098 gasket.

Cap to Gasket Relationship							
Cap HELP!	Gasket HELP!	Cap HELP!	Gasket HELP!	Cap HELP!	Gasket HELP!	Cap HELP!	Gasket HELP!
42029	—	42036	42103	42040	42078	42043	42073
42030	—	42037	42101	42041	42079	42044	42081
42034	—	42039	—	42041	—	42045	42098
42035	42104	42040	42106	42042	42072	42046	42098



When replacing cap, use new gasket to ensure brake fluid does not become contaminated with moisture.



Master Cylinder Gaskets

Master Cylinder Caps and Gaskets
Applications, pages 430-437

HELP!
Undercar

- Gaskets swell with age and may cause brake fluid loss or contamination
- Recommend new gaskets and caps to your customers when they are servicing brake components
- New gaskets and caps help maintain the integrity of the hydraulic system
- New gaskets prevent moisture from contaminating the brake fluid. Moisture reduces performance and causes rust.

42068 (1)



Ford 1979-67.

42069 (1)



Ford/Mercury 1990-67.

42070 (1)



GM 1987-67.

42071 (1)



GM 1991-67.

42072 (1)



GM 2004-87.

42073 (1)



GM P & G-Series, Astro, Safari 1996-85.

42074 (1)



GM 1995-71.

42075 (1)



Ford/Lincoln/Mercury 1986-72.

42076 (1)



Chrysler/Dodge/Plymouth 1978-71.

42077 (1)



GM 1991-71.

42078 (1)



GM 1981-78.

42079 (1)



GM 1999-81.

42080 (1)



Ford/Lincoln/Mercury 1989-79.

42081 (2)



Chrysler/Dodge/Plymouth 1998-78.

42095 (1)



Ford Ranger, Bronco II 1985-83.

42098 (1)



Ford/Mercury 2003-83.

42102 (1)



GM 1996-73.

42103 (1)



GM G & P-Series, Astro, Safari 1996-85.

Master Cylinder Gaskets (continued)

42104 (1)



GM 1990-87.

42106 (1)



GM 2000-82.

Gasket to Cap Relationship							
Gasket HELP!	Cap HELP!	Gasket HELP!	Cap HELP!	Gasket HELP!	Cap HELP!	Gasket HELP!	Cap HELP!
42068	—	42074	—	42080	—	42101	42037
42069	—	42075	—	42081	42044	42102	—
42070	—	42076	—	42095	—	42103	42036
42071	—	42077	—	42096	—	42104	42035
42072	42042	42078	42040	42098	42045	42106	42040
42073	42043	42079	42041	42098	42046		

Mirror Brackets - Rear View

HELP!
Interior

- Replace broken or missing rear view mirror brackets

76864 (3)*



Metal. Assortment of 3 most popular mirror brackets. Applications cover GM, Ford, Chrysler, Honda, VW. **Kit contains 76975, 76990 and 76995.**

76975 (1) *For Better Value, Order 76864*



Metal. GM 1987 & up.

76990 (1) *For Better Value, Order 76864*



Metal. GM, Ford and Honda.

76995 (1) *For Better Value, Order 76864*



Metal. Chrysler and VW.

CONTINUE TO PAGE 120

M

NEW PRODUCT HOTLINE - 1-800-336-3575

*Combined for

BETTER VALUE